




SPREADER BEAMS & LIFTING BEAMS

CATAGLOGUE V6 APRIL 2025

**DO
MORE.**



CERTIFICATION

KNAPP Spreader Beams and Lifting Beams are certified in accordance with AS4991-2004 Lifting Devices.

When using KNAPP Lifting Beams it is essential the lifting devices, including chains and strops, are used in accordance with Code of Practice Lifting Devices December 2012 incorporating AS4991-2004 Lifting Devices.

**DO
MORE.**

Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz


Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015



HIAB SPREADER BEAMS


HIAB DOUBLE TELESCOPIC SPREADER BEAM with END LIFTING LUGS

Product Code (SKU)	WLL (Weight Load Limit)	WLL when extended	"Z" Extended Length (mm)	WLL when contracted	"X" Contracted Length (mm)	"Y" Height above (mm)	"V" Dist between Extension Holes (mm)	No. Ext Holes in each Internal Beam	Lifting Lug Bow Shackle	Tare weight (kgs)	RETAIL PRICE (excl GST)
SB312-4000-2T-R2	2-6T	2T	4000	6T	2380	3464	202.5	4	6.5T	42	\$2,495.00
SB312-4000-6T-R2	6-10T	6T	4000	10T	2380	3464	202.5	4	8.5T	46	\$2,588.00
SB312-4000-10T-R2	10-16T	10T	4000	16T	2360	3464	205	4	9.5T	75	\$2,775.00
SB312-4000-15T-R2	15T	15T	4000	15T	2356	3464	205.5	4	12T	71	\$3,285.00



HIAB TRIPLE TELESCOPIC SPREADER BEAM with END LIFTING LUGS

Product Code (SKU)	WLL	WLL when extended	"Z" Expanded Length (mm)	WLL when contracted	"X" Contracted Length (mm)	"Y" Height above beam (mm)	"V" Dist between Extension Holes (mm)	Total No. Extension Holes in 2x Internal Beams	Lifting Lug Bow Shackle	Tare Weight (kgs)	RETAIL PRICE (excl GST)
SB3-5000-1T-R1	1-5T	1T	5100	5T	2300	4330	200	14	9.5T	72	\$3,295.00
SB3-5000-5T-R2	5-10T	5T	5100	10T	2300	4330	200	14	12T	113	\$3,745.00
SB3-5000-10T-R1	10-16T	10T	5100	16T	2300	4330	200	14	17T	124	\$4,325.00
SB3-5000-15T-R1	15-20T	15T	5100	20T	2300	4330	200	14	25T	197	\$5,555.00



**DO
MORE.**

Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz

Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015


3-in-1 HIAB SPREADER BEAM CENTRAL & END LIFTING LUGS



Page 3

Product Code (SKU)	WLL when using End Lifting Lugs	WLL when using Central Hook Lifting Hole	WLL when using outside Lifting Holes in Triangle Strongback	Bow Shackle End Lifting Lug	Bow Shackle Outside Lifting Holes in Triangle Strongback	Width of Central Slot for Hook (mm)	Tare weight (kgs)	RETAIL PRICE (excl GST)
SB312CE-4000-5T	10T	5T	5T	9.5T	6.5T	45	307	\$7,255.00

Product Code (SKU)	"Z" Expanded Length (mm)	"X" Contracted Length (mm)	"Y" Height above using End Lifting Lugs (mm)	"W" Height above using outside holes on Strongback (mm)	"T" Height above using Central Lifting Hole (mm)	"V" Dist between Extension Holes (mm)	No. Ext Holes each Internal Beam
SB312CE-4000-5T	4000	2370	3464	1730	198	203.75	4



**DO
MORE.**

Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz


Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015



SINGLE PIECE SPREADER BEAM END LIFTING LUGS



Product Code (SKU)	WLL (Weight Load Limit)	"X" Distance between Lifting Lugs	"Y" Height required above the spreader beam	Bow shackle size for Lifting Lug	Tare weight	RETAIL PRICE (excl GST)
SB1-1000-4T-R1	4T	1000 mm	866 mm	6.5T	22 kgs	\$1,880.00
SB1-1000-10T-R1	10T	1000 mm	866 mm	8.5T	33 kgs	\$2,280.00
SB1-1000-15T-R1	15T	1000 mm	866 mm	12T	48 kgs	\$2,650.00
SB1-1000-20T-R1	20T	1000 mm	866 mm	17T	77 kgs	\$2,925.00
SB1-2000-2T-R1	2T	2000 mm	1732 mm	6.5T	30 kgs	\$1,995.00
SB1-2000-6T-R1	6T	2000 mm	1732 mm	8.5T	41 kgs	\$2,170.00
SB1-2000-10T-R1	10T	2000 mm	1732 mm	9.5T	53 kgs	\$2,650.00
SB1-2000-14T-R1	14T	2000 mm	1732 mm	12T	66 kgs	\$3,085.00
SB1-2000-20T-R1	20T	2000 mm	1732 mm	17T	110 kgs	\$3,360.00
SB1-3000-2T-R1	2T	3000 mm	2598 mm	6.5T	37 kgs	\$2,095.00
SB1-3000-6T-R1	6T	3000 mm	2598 mm	8.5T	57 kgs	\$2,240.00
SB1-3000-10T-R1	10T	3000 mm	2598 mm	12T	77 kgs	\$2,425.00
SB1-3000-17T-R1	17T	3000 mm	2598 mm	17T	134 kgs	\$3,250.00
SB1-3000-20T-R1	20T	3000 mm	2598 mm	17T	152 kgs	\$3,750.00
SB1-4000-3T-R1	3T	4000 mm	3464 mm	8.5T	69 kgs	\$2,280.00
SB1-4000-6T-R1	6T	4000 mm	3464 mm	9.5T	85 kgs	\$2,365.00
SB1-4000-10T-R1	10T	4000 mm	3464 mm	12T	130 kgs	\$2,570.00
SB1-4000-17T-R1	17T	4000 mm	3464 mm	17T	188 kgs	\$2,785.00
SB1-4000-20T-R1	20T	4000 mm	3464 mm	25T	243 kgs	\$3,275.00
SB1-5000-2T-R1	2T	5000 mm	4330 mm	8.5T	81 kgs	\$2,560.00
SB1-5000-4T-R1	4T	5000 mm	4330 mm	9.5T	86 kgs	\$2,895.00
SB1-5000-8T-R1	8T	5000 mm	4330 mm	12T	153 kgs	\$3,165.00
SB1-5000-12T-R1	12T	5000 mm	4330 mm	17T	216 kgs	\$3,390.00
SB1-5000-20T-R1	20T	5000 mm	4330 mm	25T	282 kgs	\$4,195.00
SB1-6000-4T-R1	4T	6000 mm	5196 mm	12T	174 kgs	\$3,090.00
SB1-6000-8T-R1	8T	6000 mm	5196 mm	17T	238 kgs	\$3,385.00
SB1-6000-16T-R1	16T	6000 mm	5196 mm	25T	320 kgs	\$3,990.00
SB1-6000-20T-R1	20T	6000 mm	5196 mm	35T	431 kgs	\$4,775.00
SB1-7000-3T-R1	3T	7000 mm	6062 mm	12T	199 kgs	\$3,370.00
SB1-7000-6T-R1	6T	7000 mm	6062 mm	17T	270 kgs	\$3,650.00
SB1-7000-12T-R1	12T	7000 mm	6062 mm	25T	351 kgs	\$4,995.00
SB1-7000-20T-R1	20T	7000 mm	6062 mm	35T	483 kgs	\$5,990.00



**DO
MORE.**

Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz

Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015




DOUBLE TELESCOPIC SPREADER BEAM END LIFTING LUGS



Page 5

Product Code (SKU)	WLL (Weight Load Limit)	"X" length when con- tracted	"Z" length when ex- tended	No. expan- sion holes each inernal beam	"V" distance between expansion holes	"Y" height required above beam	Bow shackle size for lifting lug	Tare weight	RETAIL PRICE (excl GST)
SB312-2000-2T-R1	2-6T	1400 mm	2000 mm	2	150 mm	1.73 metres	6.5T	28 kgs	\$2,280.00
SB312-2000-8T-R1	8-12T	1400 mm	2000 mm	2	150 mm	1.73 metres	8.5T	30 kgs	\$2,395.00
SB312-2000-12T-R1	12T	1400 mm	2000 mm	2	150 mm	1.73 metres	9.5T	32 kgs	\$3,580.00
SB312-2000-20T-R1	20T	1400 mm	2000 mm	2	150 mm	1.73 metres	17T	55 kgs	\$3,985.00
SB312-3000-4T-R1	4-8T	1800 mm	3000 mm	3	200 mm	2.6 metres	6.5T	38 kgs	\$2,495.00
SB312-3000-10T-R1	10T	1800 mm	3000 mm	3	200 mm	2.6 metres	9.5T	39 kgs	\$2,685.00
SB312-3000-17T-R1	17T	1800 mm	3000 mm	3	200 mm	2.6 metres	12T	55 kgs	\$3,990.00
SB312-3000-20T-R1	20T	1800 mm	3000 mm	3	200 mm	2.6 metres	17T	64 kgs	\$4,180.00
SB312-4000-2T-R2	2-6T	2380 mm	4000 mm	4	202.5	3.46 metres	6.5T	42 kgs	\$2,495.00
SB312-4000-6T-R2	6-10T	2380 mm	4000 mm	4	202.5	3.46 metres	8.5T	46 kgs	\$2,588.00
SB312-4000-10T-R2	10-16T	2360 mm	4000 mm	4	205 mm	3.46 metres	9.5T	75 kgs	\$2,775.00
SB312-4000-15T-R2	15T	2356 mm	4000 mm	4	205.5 mm	3.46 metres	12T	71 kgs	\$3,285.00
SB312-5000-1T-R1	1-4T	3000 mm	5000 mm	4	250 mm	4.33 metres	6.5T	56 kgs	\$2,945.00
SB312-5000-4T-R1	4-5.5T	3000 mm	5000 mm	4	250 mm	4.33 metres	8.5T	56 kgs	\$3,210.00
SB312-5000-6T-R1	6-10T	3000 mm	5000 mm	4	250 mm	4.33 metres	9.5T	81 kgs	\$3,530.00
SB312-5000-10T-R1	10-14T	3000 mm	5000 mm	4	250 mm	4.33 metres	12T	89 kgs	\$3,975.00
SB312-5000-20T-R1	20-30T	3000 mm	5000 mm	4	250 mm	4.33 metres	17T	181 kgs	\$5,265.00
SB312-6000-3T-R1	3-4T	3500 mm	6000 mm	5	250 mm	5.2 metres	8.5T	64 kgs	\$3,335.00
SB312-6000-4.5T-R1	4.5-8T	3500 mm	6000 mm	5	250 mm	5.2 metres	9.5T	91 kgs	\$3,660.00
SB312-6000-8T-R2	8-11T	3500 mm	6000 mm	5	250 mm	5.2 metres	9.5T	102 kgs	\$3,855.00
SB312-6000-15T-R1	15-24T	3500 mm	6000 mm	5	250 mm	5.2 metres	17T	204 kgs	\$5,370.00
SB312-6000-20T-R1	20-30T	3500 mm	6000 mm	5	250 mm	5.2 metres	25T	257 kgs	\$5,955.00
SB312-7000-2T-R1	2-3.5T	4000 mm	7000 mm	5	300 mm	6.06 metres	8.5T	72 kgs	\$3,395.00
SB312-7000-3T-R1	3-6T	4000 mm	7000 mm	5	300 mm	6.06 metres	9.5T	104 kgs	\$3,815.00
SB312-7000-6T-R1	6-10T	4000 mm	7000 mm	5	300 mm	6.06 metres	9.5T	112 kgs	\$4,160.00
SB312-7000-10T-R1	10-16T	4000 mm	7000 mm	5	300 mm	6.06 metres	17T	228 kgs	\$5,750.00
SB312-7000-20T-R3	20-30T	4000 mm	7000 mm	5	300 mm	6.06 metres	17T	260 kgs	\$6,850.00
SB312-8000-10T-R1	10-16T	4500 mm	8000 mm	5	350 mm	6.93 metres	17T	255 kgs	\$6,450.00
SB312-9000-10T-R1	10-16T	5000 mm	9000 mm	4	500 mm	7.8 metres	17T	282 kgs	\$6,745.00
SB312-9000-20T-R1	20-30T	5000 mm	9000 mm	4	500 mm	7.8 metres	25T	361 kgs	\$7,955.00
SB312-12000-16T-R1	16T	6500 mm	12000 mm	5	550 mm	10.4 metres	25T	462 kgs	\$8,995.00
SB312-12000-20T-R1	20-30T	6500 mm	12000 mm	5	550 mm	10.4 metres	25T	597 kgs	\$10,995.00
SB312-14000-20T-R1	20-30T	8000 mm	14000 mm	6	500 mm	12.12 metres	25T	785 kgs	\$12,455.00



**DO
MORE.**


Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz

Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015



CENTRAL LIFTING WITH MULTIPLE LIFTING HOLES

Product Code (SKU)	WLL (Weight Load Limit)	"X" Distance between out- side Lifting Holes	"A" Distance be- tween Top Lifting Hole and Holes in Fixed Point Plate under beam	"V" Distance btw Lifting Holes in Fixed Point Plate	No. of Lifting Holes in Fixed Point Plate	Bow shackle size for Top Lifting Hole	Bow shackle size for Lifting Holes under beam	Tare weight	RETAIL PRICE (excl GST)
SB1CFP-1000-2T-R1	1T	1000 mm	252 mm	125 mm	9	9.5T	2T	28 kgs	\$2,195.00
SB1CFP-1000-5T-R1	5T	1000 mm	278 mm	125 mm	9	9.5T	6.5T	39 kgs	\$2,495.00
SB1CFP-1000-10T-R1	10T	1000 mm	303 mm	125 mm	9	17T	12T	87 kgs	\$2,895.00
SB1CFP-1000-20T-R1	20T	1000 mm	351 mm	200 mm	6	25T	17T	131 kgs	\$3,495.00
SB1CFP-1500-2T-R1	1.5T	1500 mm	252 mm	150 mm	11	9.5T	2T	39 kgs	\$2,380.00
SB1CFP-1500-4T-R1	4T	1500 mm	278 mm	150 mm	11	9.5T	6.5T	55 kgs	\$2,595.00
SB1CFP-1500-7T-R1	7T	1500 mm	291 mm	250 mm	7	17T	8.5T	89 kgs	\$2,895.00
SB1CFP-1500-10T-R1	10T	1500 mm	314 mm	250 mm	7	25T	12T	138 kgs	\$3,395.00
SB1CFP-1500-20T-R1	20T	1500 mm	415 mm	250 mm	7	25T	25T	226 kgs	\$3,875.00
SB1CFP-2000-1T-R1	1T	2000 mm	252 mm	200 mm	11	9.5T	2T	58 kgs	\$2,595.00
SB1CFP-2000-3T-R1	3T	2000 mm	268 mm	200 mm	11	9.5T	3.2T	67 kgs	\$2,725.00
SB1CFP-2000-5T-R1	5T	2000 mm	286 mm	250 mm	9	17T	6.5T	112 kgs	\$3,150.00
SB1CFP-2000-10T-R1	10T	2000 mm	389 mm	250 mm	9	17T	12T	228 kgs	\$4,635.00
SB1CFP-3000-2T-R1	2T	3000 mm	276 mm	250 mm	13	9.5T	2T	105 kgs	\$3,175.00
SB1CFP-3000-5T-R1	5T	3000 mm	323 mm	250 mm	13	12T	6.5T	188 kgs	\$4,195.00
SB1CFP-3000-8T-R1	8T	3000 mm	391 mm	250 mm	13	17T	8.5T	317 kgs	\$5,495.00
SB1CFP-4000-2T-R2	2T	4000 mm	276 mm	250 mm	17	9.5T	2T	137 kgs	\$3,725.00
SB1CFP-4000-3.5T-R1	3.5T	4000 mm	323 mm	250 mm	17	9.5T	4.75T	240 kgs	\$4,880.00
SB1CFP-4000-6T-R2	6T	4000 mm	398 mm	250 mm	17	12T	6.5T	369 kgs	\$5,935.00



**DO
MORE.**

Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz


Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015

CENTRAL LIFTING UNIVERSAL BEAM MULTIPLE LIFTING HOLES



Page 7

Product Code (SKU)	WLL (Weight Load Limit)	"Z" Distance btw outside Lifting Holes	"X" Distance btw inside Lifting Holes	"Y" Distance btw Top Lifting Hole and Fixed Point Lifting Holes under beam	"V" Distance btw Fixed Point Lifting Holes under beam	No. of Fixed Point Lifting Holes under beam	Bow shackle size for Top Lifting Hole	Bow shackle size for Fixed Point Holes under beam	Tare weight	RETAIL PRICE (excl GST)
SB1CUB-2000-20T-R1	20T	2000 mm	650 mm	707 mm	225 mm	8	25T	12T	387 kgs	\$8,580.00
SB1CUB-2690-10T-R1	10T	2690 mm	890 mm	642 mm	225 mm	10	17T	9.5T	351 kgs	\$8,950.00
SB1CUB-2690-20T-R1	20T	2690 mm	890 mm	775 mm	225 mm	10	25T	12T	550 kgs	\$9,575.00
SB1CUB-3000-10T-R1	10T	3000 mm	1000 mm	642 mm	200 mm	12	17T	9.5T	381 kgs	\$9,795.00
SB1CUB-3000-20T-R1	20T	3000 mm	1000 mm	781 mm	200 mm	12	25T	12T	596 kgs	\$11,875.00
SB1CUB-4000-5T-R1	5T	4000 mm	1200 mm	547 mm	200 mm	16	12T	4.7T	355 kgs	\$8,275.00
SB1CUB-4000-10T-R1	10T	4000 mm	1200 mm	716 mm	200 mm	16	17T	9.5T	569 kgs	\$11,095.00
SB1CUB-4000-15T-R1	15T	4000 mm	1200 mm	781 mm	200 mm	16	25T	12T	704 kgs	\$11,750.00
SB1CUB-5000-5T-R1	5T	5000 mm	1500 mm	588 mm	250 mm	16	12T	4.7T	440 kgs	\$8,595.00
SB1CUB-5000-10T-R1	10T	5000 mm	1500 mm	716 mm	250 mm	16	17T	9.5T	681 kgs	\$12,175.00
SB1CUB-5000-12.5T-R1	12.5T	5000 mm	1500 mm	781 mm	250 mm	16	25T	12T	837 kgs	\$12,895.00
SB1CUB-6000-5T-R1	5T	6000 mm	1500 mm	639 mm	250 mm	20	12T	4.7T	620 kgs	\$10,895.00
SB1CUB-6000-10T-R1	10T	6000 mm	1500 mm	790 mm	250 mm	20	17T	9.5T	983 kgs	\$15,250.00
SB1CUB-8000-5T-R1	5T	8000 mm	2000 mm	639 mm	200 mm	32	12T	4.7T	795 kgs	\$12,450.00
SB1CUB-8000-10T-R1	10T	8000 mm	2000 mm	786 mm	200 mm	32	17T	9.5T	1316 kgs	\$17,235.00
SB1CUB-10000-5T-R1	5T	10000 mm	2000 mm	713 mm	250 mm	32	12T	4.7T	1172 kgs	\$17,390.00



**DO
MORE.**


Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz

Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015



CENTRAL LIFTING WITH END LIFTING LUGS

Product Code (SKU)	WLL (Weight Load Limit)	"X" Distance between out-side Lifting Lugs	"A" Distance between Top Lifting Hole and Hole in Lifting Lug under beam	Bow shackle size for Top Lifting Hole	Bow shackle size for Lifting Lug	Tare weight (kgs)	RETAIL PRICE (excl GST)
SB1C-1000-3T-R3	3T	1000 mm	237 mm	9.5T	3.2T	21 kgs	\$1,895.00
SB1C-1000-5T-R3	5T	1000 mm	254 mm	9.5T	6.5T	28 kgs	\$2,160.00
SB1C-1000-6.5T-R3	6.5T	1000 mm	263 mm	12T	6.5T	35 kgs	\$2,275.00
SB1C-1000-10T-R2	10T	1000 mm	272 mm	17T	12T	49 kgs	\$2,425.00
SB1C-1000-15T-R2	15T	1000 mm	290 mm	25T	17T	72 kgs	\$2,695.00
SB1C-1000-20T-R2	20T	1000 mm	311 mm	35T	25T	92 kgs	\$2,995.00
SB1C-1500-2.5T-R2	2.5T	1500 mm	238 mm	9.5T	3.2T	30 kgs	\$2,050.00
SB1C-1500-3T-R2	3T	1500 mm	248 mm	9.5T	3.2T	39 kgs	\$2,145.00
SB1C-1500-4.5T-R2	4.5T	1500 mm	260 mm	12T	4.7T	49 kgs	\$2,225.00
SB1C-1500-7T-R2	7T	1500 mm	265 mm	17T	8.5T	72 kgs	\$2,395.00
SB1C-1500-10T-R2	10T	1500 mm	283 mm	25T	12T	96 kgs	\$2,725.00
SB1C-1500-14T-R2	14T	1500 mm	316 mm	25T	17T	112 kgs	\$2,895.00
SB1C-2000-3T-R2	3T	2000 mm	264 mm	4.7T	3.2T	46 kgs	\$2,185.00
SB1C-2000-4T-R2	4T	2000 mm	277 mm	6.5T	4.7T	58 kgs	\$2,255.00
SB1C-2000-5T-R2	5T	2000 mm	285 mm	8.5T	6.5T	85 kgs	\$2,395.00
SB1C-2000-7T-R4	7T	2000 mm	307 mm	9.5T	8.5T	103 kgs	\$2,590.00
SB1C-2000-8T-R2	8T	2000 mm	336 mm	9.5T	8.5T	120 kgs	\$2,850.00
SB1C-2000-12T-R2	12T	2000 mm	371 mm	17T	12T	165 kgs	\$3,195.00
SB1C-3000-2.5T-R2	2.5T	3000 mm	278 mm	4.7T	3.2T	86 kgs	\$2,615.00
SB1C-3000-4T-R2	4T	3000 mm	288 mm	6.5T	4.7T	125 kgs	\$3,125.00
SB1C-3000-5T-R2	5T	3000 mm	310 mm	8.5T	6.5T	149 kgs	\$3,295.00
SB1C-3000-6T-R2	6T	3000 mm	335 mm	8.5T	6.5T	176 kgs	\$3,795.00
SB1C-3000-8T-R2	8T	3000 mm	402 mm	9.5T	8.5T	238 kgs	\$4,175.00
SB1C-4000-2T-R3	2T	4000 mm	278 mm	4.7T	3.2T	111 kgs	\$3,140.00
SB1C-4000-3T-R2	3T	4000 mm	284 mm	6.5T	3.2T	162 kgs	\$3,530.00
SB1C-4000-3.5T-R2	3.5T	4000 mm	313 mm	6.5T	4.7T	194 kgs	\$3,890.00
SB1C-4000-4.5T-R2	4.5T	4000 mm	338 mm	6.5T	4.7T	225 kgs	\$4,125.00
SB1C-4000-6.5T-R2	6.5T	4000 mm	405 mm	8.5T	6.5T	307 kgs	\$4,895.00



**DO
MORE.**

Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz

Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015

CENTRAL LIFTING WITH MULTIPLE LIFTING LUGS




Page 9

Product Code (SKU)	WLL (Weight Load Limit)	"X" Distance btw outside Lifting Lugs	"A" Distance btw Top Lifting Hole and Hole in Lifting Lug under beam	Bow shackle size for Top Lifting Hole	Bow shackle size for Lifting Lug	Tare weight (kgs)	RETAIL PRICE (excl GST) includes 1x set additional lifting lugs & central lifting lug	RETAIL PRICE for each additional set of 2x lifting lugs (excl GST)
SB1CM-1000-3T-R3	3T	1000 mm	237 mm	9.5T	3.2T	24 kgs	\$2,155.00	\$260.00
SB1CM-1000-5T-R3	5T	1000 mm	254 mm	9.5T	6.5T	29 kgs	\$2,480.00	\$320.00
SB1CM-1000-6.5T-R3	6.5T	1000 mm	263 mm	12T	6.5T	41 kgs	\$2,635.00	\$360.00
SB1CM-1000-10T-R2	10T	1000 mm	272 mm	17T	12T	65 kgs	\$2,825.00	\$400.00
SB1CM-1000-15T-R2	15	1000 mm	290 mm	25T	17T	92 kgs	\$3,095.00	\$400.00
SB1CM-1000-20T-R2	20T	1000 mm	311 mm	35T	25T	118 kgs	\$3,395.00	\$400.00
SB1CM-1500-2.5T-R2	2.5T	1500 mm	238 mm	9.5T	3.2T	33 kgs	\$2,310.00	\$260.00
SB1CM-1500-3T-R2	3T	1500 mm	248 mm	9.5T	3.2T	43 kgs	\$2,465.00	\$320.00
SB1CM-1500-4.5T-R2	4T	1500 mm	260 mm	12T	4.7T	55 kgs	\$2,585.00	\$360.00
SB1CM-1500-7T-R2	7	1500 mm	265 mm	17T	8.5T	81 kgs	\$2,795.00	\$400.00
SB1CM-1500-10T-R2	10T	1500 mm	283 mm	25T	12T	112 kgs	\$3,125.00	\$400.00
SB1CM-1500-14T-R2	14T	1500 mm	316 mm	25T	17T	134 kgs	\$3,295.00	\$400.00
SB1CM-2000-3T-R2	3T	2000 mm	264 mm	4.7T	3.2T	49 kgs	\$2,505.00	\$320.00
SB1CM-2000-4T-R2	4T	2000 mm	277 mm	6.5T	4.7T	62 kgs	\$2,615.00	\$360.00
SB1CM-2000-5T-R2	5T	2000 mm	285 mm	8.5T	6.5T	90 kgs	\$2,795.00	\$400.00
SB1CM-2000-7T-R4	7T	2000 mm	307 mm	9.5T	8.5T	111 kgs	\$2,990.00	\$400.00
SB1CM-2000-8T-R2	8T	2000 mm	336 mm	9.5T	8.5T	131 kgs	\$3,250.00	\$400.00
SB1CM-2000-12T-R2	12T	2000 mm	371 mm	17T	12T	185 kgs	\$3,625.00	\$430.00
SB1CM-3000-2.5T-R2	2.5T	3000 mm	278 mm	4.7T	3.2T	86 kgs	\$2,975.00	\$360.00
SB1CM-3000-4T-R2	4T	3000 mm	288 mm	6.5T	4.7T	127 kgs	\$3,525.00	\$400.00
SB1CM-3000-5T-R2	5T	3000 mm	310 mm	8.5T	6.5T	152 kgs	\$3,695.00	\$400.00
SB1CM-3000-6T-R2	6T	3000 mm	335 mm	8.5T	6.5T	181 kgs	\$4,195.00	\$400.00
SB1CM-3000-8T-R2	8T	3000 mm	402 mm	9.5T	8.5T	247 kgs	\$4,605.00	\$430.00
SB1CM-4000-2T-R3	2T	4000 mm	278 mm	4.7T	3.2T	112 kgs	\$3,500.00	\$360.00
SB1CM-4000-3T-R2	3T	4000 mm	284 mm	6.5T	3.2T	165 kgs	\$3,930.00	\$400.00
SB1CM-4000-3.5T-R2	3.5T	4000 mm	313 mm	6.5T	4.7T	196 kgs	\$4,290.00	\$400.00
SB1CM-4000-4.5T-R2	4.5T	4000 mm	338 mm	6.5T	4.7T	228 kgs	\$4,525.00	\$400.00
SB1CM-4000-6.5T-R2	6.5T	4000 mm	405 mm	8.5T	6.5T	314 kgs	\$5,325.00	\$430.00

"V" Distance between inside Lifting Lugs can be determined by the customer

Pricing includes a Central Lifting Lug and a 1x set of additional Lifting Lugs in addition to the outside Lifting Lugs (ie 5x Lugs in Total)



**DO
MORE.**

Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz

Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015




CENTRAL LIFTING FORK POCKETS & END LIFTING LUGS



Page 10

Product Code (SKU)	WLL (Weight Load Limit)	"X" Distance btw out- side Lifting Lugs	"A" Distance btw Top Lifting Hole and Hole in Lifting Lug under beam	"W" Distance btw Fork Pocket Centres	Fork Pocket Length	Internal height fork pocket	Internal width fork pocket	Bow shackle size for Top Lift- ing Hole	Bow shackle size for Lifting Lug	Tare weight (kgs)	RETAIL PRICE (excl GST)
SB1CFK-1000-3T-R3	3T	1000 mm	237 mm	650 mm	400 mm	90 mm	190 mm	9.5T	3.2T	41 kgs	\$2,195.00
SB1CFK-1000-5T-R3	5T	1000 mm	254 mm	650 mm	400 mm	90 mm	190 mm	9.5T	6.5T	48 kgs	\$2,460.00
SB1CFK-1000-6.5T-R3	6.5T	1000 mm	263 mm	650 mm	400 mm	90 mm	190 mm	12T	6.5T	57 kgs	\$2,575.00
SB1CFK-1000-10T-R2	10T	1000 mm	272 mm	600 mm	400 mm	90 mm	190 mm	17T	12T	65 kgs	\$2,725.00
SB1CFK-1000-15T-R2	15T	1000 mm	290 mm	600 mm	400 mm	90 mm	190 mm	25T	17T	103 kgs	\$2,995.00
SB1CFK-1000-20T-R2	20T	1000 mm	311 mm	600 mm	400 mm	90 mm	190 mm	35T	25T	127 kgs	\$3,295.00
SB1CFK-1500-2.5T-R2	2.5T	1500 mm	238 mm	650 mm	400 mm	90 mm	190 mm	9.5T	3.2T	50 kgs	\$2,350.00
SB1CFK-1500-3T-R2	3T	1500 mm	248 mm	650 mm	400 mm	90 mm	190 mm	9.5T	3.2T	59 kgs	\$2,445.00
SB1CFK-1500-4.5T-R2	4.5T	1500 mm	260 mm	650 mm	400 mm	90 mm	190 mm	12T	4.7T	71 kgs	\$2,525.00
SB1CFK-1500-7T-R2	7T	1500 mm	265 mm	650 mm	400 mm	90 mm	190 mm	17T	8.5T	95 kgs	\$2,695.00
SB1CFK-1500-10T-R2	10T	1500 mm	283 mm	650 mm	400 mm	90 mm	190 mm	25T	12T	125 kgs	\$2,995.00
SB1CFK-1500-14T-R2	14T	1500 mm	316 mm	650 mm	400 mm	90 mm	190 mm	25T	17T	143 kgs	\$3,195.00
SB1CFK-2000-3T-R2	3T	2000 mm	264 mm	800 mm	400 mm	90 mm	190 mm	4.7T	3.2T	66 kgs	\$2,485.00
SB1CFK-2000-4T-R2	4T	2000 mm	277 mm	800 mm	400 mm	90 mm	190 mm	6.5T	4.7T	78 kgs	\$2,555.00
SB1CFK-2000-5T-R2	5T	2000 mm	285 mm	800 mm	400 mm	90 mm	190 mm	8.5T	6.5T	106 kgs	\$2,695.00
SB1CFK-2000-7T-R4	7T	2000 mm	307 mm	800 mm	400 mm	90 mm	190 mm	9.5T	8.5T	126 kgs	\$2,890.00
SB1CFK-2000-8T-R2	8T	2000 mm	336 mm	800 mm	400 mm	90 mm	190 mm	9.5T	8.5T	143 kgs	\$3,150.00
SB1CFK-2000-12T-R2	12T	2000 mm	371 mm	800 mm	400 mm	90 mm	190 mm	17T	12T	194 kgs	\$3,495.00
SB1CFK-3000-2.5T-R2	2.5T	3000 mm	278 mm	800 mm	400 mm	90 mm	190 mm	4.7T	3.2T	106 kgs	\$2,915.00
SB1CFK-3000-4T-R2	4T	3000 mm	288 mm	800 mm	400 mm	90 mm	190 mm	6.5T	4.7T	146 kgs	\$3,425.00
SB1CFK-3000-5T-R2	5T	3000 mm	310 mm	800 mm	400 mm	90 mm	190 mm	8.5T	6.5T	171 kgs	\$3,595.00
SB1CFK-3000-6T-R2	6T	3000 mm	335 mm	800 mm	400 mm	90 mm	190 mm	8.5T	6.5T	199 kgs	\$4,095.00
SB1CFK-3000-8T-R2	8T	3000 mm	402 mm	800 mm	400 mm	90 mm	190 mm	9.5T	8.5T	262 kgs	\$4,475.00
SB1CFK-4000-2T-R3	2T	4000 mm	278 mm	800 mm	400 mm	90 mm	190 mm	4.7T	3.2T	132 kgs	\$3,440.00
SB1CFK-4000-3T-R2	3T	4000 mm	284 mm	800 mm	400 mm	90 mm	190 mm	6.5T	3.2T	184 kgs	\$3,830.00
SB1CFK-4000-3.5T-R2	3.5T	4000 mm	313 mm	800 mm	400 mm	90 mm	190 mm	6.5T	4.7T	215 kgs	\$4,190.00
SB1CFK-4000-4.5T-R2	4.5T	4000 mm	338 mm	800 mm	400 mm	90 mm	190 mm	6.5T	4.7T	247 kgs	\$4,425.00
SB1CFK-4000-6.5T-R2	6.5T	4000 mm	405 mm	800 mm	400 mm	90 mm	190 mm	8.5T	6.5T	331 kgs	\$5,195.00



**DO
MORE.**

Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz

Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015




CENTRAL LIFTING FORK POCKETS & MULTIPLE LIFTING LUGS



Page 11

Product Code (SKU)	WLL (Weight t Load Limit)	"X" Distance btw out- side Lift- ing Lugs	"A" Distance btw Top Lifting Hole and Hole in Lifting Lug under beam	"W" Distance btw Fork Pocket Centres	Fork Pocket Length	Internal height fork pocket	Internal width fork pocket	Bow shackle size for Top Lifting Hole	Bow shackle size for Lifting Lug	Tare weight	RETAIL PRICE (excl GST) includes 1x set additional lifting lugs & central lifting lug	RETAIL PRICE for each additional set of 2x lifting lugs (excl GST)
SB1CMFK-1000-3T-R3	3T	1000 mm	237 mm	650 mm	400 mm	90 mm	190 mm	9.5T	3.2T	41 kgs	\$2,455.00	\$260.00
SB1CMFK-1000-5T-R3	5T	1000 mm	254 mm	650 mm	400 mm	90 mm	190 mm	9.5T	6.5T	49 kgs	\$2,780.00	\$320.00
SB1CMFK-1000-6.5T-R3	6.5T	1000 mm	263 mm	650 mm	400 mm	90 mm	190 mm	12T	6.5T	59 kgs	\$2,935.00	\$360.00
SB1CMFK-1000-10T-R2	10T	1000 mm	272 mm	600 mm	400 mm	90 mm	190 mm	17T	12T	81 kgs	\$3,125.00	\$400.00
SB1CMFK-1000-15T-R2	15T	1000 mm	290 mm	600 mm	400 mm	90 mm	190 mm	25T	17T	110 kgs	\$3,395.00	\$400.00
SB1CMFK-1000-20T-R2	20T	1000 mm	311 mm	600 mm	400 mm	90 mm	190 mm	35T	25T	136 kgs	\$3,695.00	\$400.00
SB1CMFK-1500-2.5T-R2	2.5T	1500 mm	238 mm	650 mm	400 mm	90 mm	190 mm	9.5T	3.2T	53 kgs	\$2,610.00	\$260.00
SB1CMFK-1500-3T-R2	3T	1500 mm	248 mm	650 mm	400 mm	90 mm	190 mm	9.5T	3.2T	63 kgs	\$2,765.00	\$320.00
SB1CMFK-1500-4.5T-R2	4.5T	1500 mm	260 mm	650 mm	400 mm	90 mm	190 mm	12T	4.7T	76 kgs	\$2,885.00	\$360.00
SB1CMFK-1500-7T-R2	7T	1500 mm	265 mm	650 mm	400 mm	90 mm	190 mm	17T	8.5T	104 kgs	\$3,095.00	\$400.00
SB1CMFK-1500-10T-R2	10T	1500 mm	283 mm	650 mm	400 mm	90 mm	190 mm	25T	12T	141 kgs	\$3,425.00	\$400.00
SB1CMFK-1500-14T-R2	14T	1500 mm	316 mm	650 mm	400 mm	90 mm	190 mm	25T	17T	165 kgs	\$3,595.00	\$400.00
SB1CMFK-2000-3T-R2	3T	2000 mm	264 mm	800 mm	400 mm	90 mm	190 mm	4.7T	3.2T	69 kgs	\$2,805.00	\$320.00
SB1CMFK-2000-4T-R2	4T	2000 mm	277 mm	800 mm	400 mm	90 mm	190 mm	6.5T	4.7T	82 kgs	\$2,915.00	\$360.00
SB1CMFK-2000-5T-R2	5T	2000 mm	285 mm	800 mm	400 mm	90 mm	190 mm	8.5T	6.5T	111 kgs	\$3,095.00	\$400.00
SB1CMFK-2000-7T-R4	7T	2000 mm	307 mm	800 mm	400 mm	90 mm	190 mm	9.5T	8.5T	134 kgs	\$3,290.00	\$400.00
SB1CMFK-2000-8T-R2	8T	2000 mm	336 mm	800 mm	400 mm	90 mm	190 mm	9.5T	8.5T	154 kgs	\$3,550.00	\$400.00
SB1CMFK-2000-12T-R2	12T	2000 mm	371 mm	800 mm	400 mm	90 mm	190 mm	17T	12T	213 kgs	\$3,925.00	\$430.00
SB1CMFK-3000-2.5T-R2	2.5T	3000 mm	278 mm	800 mm	400 mm	90 mm	190 mm	4.7T	3.2T	107 kgs	\$3,275.00	\$360.00
SB1CMFK-3000-4T-R2	4T	3000 mm	288 mm	800 mm	400 mm	90 mm	190 mm	6.5T	4.7T	148 kgs	\$3,825.00	\$400.00
SB1CMFK-3000-5T-R2	5T	3000 mm	310 mm	800 mm	400 mm	90 mm	190 mm	8.5T	6.5T	173 kgs	\$3,995.00	\$400.00
SB1CMFK-3000-6T-R2	6T	3000 mm	335 mm	800 mm	400 mm	90 mm	190 mm	8.5T	6.5T	203 kgs	\$4,495.00	\$400.00
SB1CMFK-3000-8T-R2	8T	3000 mm	402 mm	800 mm	400 mm	90 mm	190 mm	9.5T	8.5T	271 kgs	\$4,905.00	\$430.00
SB1CMFK-4000-2T-R3	2T	4000 mm	278 mm	800 mm	400 mm	90 mm	190 mm	4.7T	3.2T	133 kgs	\$3,800.00	\$360.00
SB1CMFK-4000-3T-R2	3T	4000 mm	284 mm	800 mm	400 mm	90 mm	190 mm	6.5T	3.2T	185 kgs	\$4,230.00	\$400.00
SB1CMFK-4000-3.5T-R2	3.5T	4000 mm	313 mm	800 mm	400 mm	90 mm	190 mm	6.5T	4.7T	217 kgs	\$4,590.00	\$400.00
SB1CMFK-4000-4.5T-R2	4.5T	4000 mm	338 mm	800 mm	400 mm	90 mm	190 mm	6.5T	4.7T	250 kgs	\$4,825.00	\$400.00
SB1CMFK-4000-6.5T-R2	6.5T	4000 mm	405 mm	800 mm	400 mm	90 mm	190 mm	8.5T	6.5T	338 kgs	\$5,625.00	\$430.00

"V" Distance between inside Lifting Lugs can be determined by the customer as long as it does not interfere with the Fork Pockets
Pricing includes a Central Lifting Lug and a 1x set of additional Lifting Lugs in addition to the outside Lifting Lugs (ie 5x Lugs in Total)



**DO
MORE.**

Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz

Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015




SINGLE TELESCOPIC SPREADER BEAM END LIFTING LUGS



Page 12

Model	WLL (Weight Load Limit)	WLL when extended	"Z" Extended Length (mm)	WLL when contracted	"X" Contracted Length (mm)	"Y" Height above (mm)	"V" Dist between Extension Holes (mm)	No. Extension Holes in Internal Beam	Lifting Lug Bow Shackle	RETAIL PRICE (excl GST)
SB212-1500-6T-R1	6T	6T	1500	6T	1100	1300	200	2	6.5T	\$2,355.00
SB212-2500-6T-R1	6T	6T	2500	6T	1420	2165	270	4	9.5T	\$2,495.00



**DO
MORE.**

Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz


Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015



"H" SPREADER BEAMS

Product Code (SKU)	WLL (Weight Load Limit)	"X" Distance btw Lifting Lugs on Central Beam	"Z" Distance btw Lifting Lugs on Legs	"A" Distance be- tween Top Lifting Hole and Hole in Lifting Lug under beam	Bow shack- le size for Top Lifting Hole	Bow shackle size for Lifting Lug	Tare weight (kgs)	RETAIL PRICE (excl GST)
SBH-1080C-504L-1T-R1	1T	1080 mm	1080 mm	208 mm	6.5T	2T	38 kgs	\$2,895.00
SBH-1337C-1000L-4T-R1	4T	1337 mm	1000 mm	312 mm	9.5T	3.2T	91 kgs	\$3,480.00
SBH-700C-800L-5T-R2	5T	700 mm	800 mm	366 mm	9.5T	4.7T	61 kgs	\$2,950.00
SBH-700C-800L-1T-R2	1T	700 mm	800 mm	328 mm	9.5T	3.2T	42 kgs	\$2,750.00
SBH-972C-1200L-1T-R23	1T	975 mm	1200 mm	200 mm	4.7T	2T	50 kgs	\$3,175.00

WE CAN CUSTOM DESIGN A "H" SPREADER BEAM TO SUIT THE DIMENSIONS OF THE LOAD YOU NEED TO LIFT




"A" Distance between Hole in Strongback on top of spreader beam and Holes in Lifting Lugs



"X" Distance between lifting lugs on Central Beam

"Z" Distance between Lifting Lugs on Legs



**DO
MORE.**

Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz

Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015


ROOFING IRON SPREADER BEAMS



Page 14

Product Code (SKU)	WLL (Weight Load Limit)	"A" Contracted Length	"B" Expanded Length	End on Cross Members	Total No. of Cross Members each side	"D" Distance (width) btw ends of Cross Members	"X" Distance btw Cross Members on Central Beam	No. Ext Holes in each Inter- nal Beam	Distance btw Extension Holes	Lifting Lug Bow Shackle
SBRF312-9000-1.5T-R1	1.5T	5000 mm	9000 mm	Weld on Hooks	5	860 mm	2385 mm	2	1000 mm	4.7T
SBRF312-9000-1.5T-R2	1.5T	5000 mm	9000 mm	Stops	5	860 mm	2385 mm	2	1000 mm	4.7T
SBRF312-15000-1.5T-R1	1.5T	9000 mm	15000 mm	Weld on Hooks	5	860 mm	3715 mm	3	1000 mm	4.7T
SBRF312-15000-1.5T-R2	1.5T	9000 mm	15000 mm	Stops	5	860 mm	3715 mm	3	1000 mm	4.7T
SBRF2C312-15000-4T-R1	3-5T	9000 mm	15000 mm	Weld on Hooks	6	900 mm	3715 mm	3	1000 mm	8.5T
SBRF2C312-15000-4T-R2	3-5T	9000 mm	15000 mm	Stops	6	900 mm	3715 mm	3	1000 mm	8.5T
SBRF312-20000-1.5T-R1	1.5T	12000 mm	20000 mm	Weld on Hooks	6	860 mm	3873 mm	4	1000 mm	4.7T
SBRF312-20000-1.5T-R2	1.5T	12000 mm	20000 mm	Stops	6	860 mm	3873 mm	4	1000 mm	4.7T

Product Code (SKU)	"W" Distance btw Telescope Cross Members & outside Cross Members on Central Beam when contracted	"Y" Distance btw Telescope Cross Members & outside Cross Members on Central Beam when expanded	"C" Distance btw Lifting Lugs on Cen- tral Beam	"Z" Height above Spread Beam	Tare Weight	RETAIL PRICE (excl GST)
SBRF312-9000-1.5T-R1	115 mm	2115 mm	3000 mm	2600 mm	433 kgs	\$8,975.00
SBRF312-9000-1.5T-R2	115 mm	2115 mm	3000 mm	2600 mm	425 kgs	\$8,975.00
SBRF312-15000-1.5T-R1	785 mm	3785 mm	5990 mm	5190 mm	722 kgs	\$11,950.00
SBRF312-15000-1.5T-R2	785 mm	3785 mm	5990 mm	5190 mm	714 kgs	\$11,950.00
SBRF2C312-15000-4T-R1	115 mm	3115 mm	3000 mm	1500 mm	1086 kgs	\$15,675.00
SBRF2C312-15000-4T-R2	115 mm	3115 mm	3000 mm	1500 mm	1078 kgs	\$15,675.00
SBRF312-20000-1.5T-R1	115 mm	4115 mm	8310 mm	7200 mm	950 kgs	\$14,750.00
SBRF312-20000-1.5T-R2	115 mm	4115 mm	8310 mm	7200 mm	941 kgs	\$14,750.00



**DO
MORE.**

Phone: 0800 4KNAPP
Phone: 021 781 205
Email: sales@knapp.co.nz
Website: www.knapp.co.nz

Manufactured by South Waikato
Precision Engineering 2017 Ltd,
14 Balmoral Drive, Tokoroa, New Zealand
ISO9001:2015



